

SILKY JAM

Face jelly cream

Formula

Phase	Trade Name	Supplier	European I.N.C.I. Name	Function	%
LIPOGEL					
A	Sucragel APV2	ALCHEMY*	Glycerin, Aqua, Sucrose Laurate	Emulsifier	20,00
	Sucrablend SPV2		Sucrose Stearate, Sucrose Palmitate		0,50
B	Neossance® Squalane	APRINNOVA*	Squalane	Emollient	74,50
	Neossance® Hemisqualane		C13-15 Alkane		5,00
JELLY CREAM					
A	Demineralized water	/	Aqua	/	to 100
	Glycerin	PROTAMEEN*	Glycerin	Humectant	5,00
	Propylene Glycol	/	Propylene Glycol		5,00
B	SAFIC' Care T CI	SAFIC-ALCAN	Chondrus Crispus	Jelly agent	2,20
	SAFIC' Care T CK1		Carrageenan, Glucose, Potassium Chloride	Solidity Agent	0,20
C	LIPOGEL	/	/	/	16,50
D	Eucoolan™	SK BIOLAND*	Aqua, Butylene Glycol, Eucommia Ulmoides Bark Extract	Active	1,00
	MandarinClear	ICHIMARU PHARCOS*	Butylene Glycol, Aqua, Citrus Reticulata Peel Extract		1,00
E	Sensicare® C1090	CHEMIPOL*	Phenoxyethanol, Ethylhexylglycerin	Preservative	1,00
	Fragrance	/	Parfum	Fragrance	0,30

* Please contact us to know in which country we are supplier of

SAFIC' Care is a trademark of SAFIC-ALCAN

Procedure

LIPOGEL

Phase A : Heat up to 65°C under stirring.

Phase B : Pre-mix then add to phase A by small quantities under stirring until homogeneous.

JELLY CREAM

Phase A : Heat up to 85°C under stirring.

Phase B : Pre-mix then add to phase A and stir until homogeneous.

Phase C : Add to phase AB under fast stirring.

Phase D : Add slowly to phase ABC under stirring.

Phase E : Add to phase ABCD and stir until homogeneous.

Pour into molds and let cool down to room temperature.